

HI 93728-0 Nitrate Reagent Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2009-06-10

Reason for Revision: 29 CFR 1910.1200 and SOR/88-66 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 93728-0 Nitrate Reagent Additional Product Codes: HI 93728-01

Application: HI 93728-03

Application: Determination of Nitrate in Water Samples

Application. Determination of Nitrate in Water Samples

Company Information (USA):

Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Toxic by inhalation. May cause sensitisation by skin contact. May cause cancer. Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of irreversible effects.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfanilic Acid Cadmium Powder Copper Sulfate

EC-No.: 204-482-5 231-152-8 231-847-6

CAS-No.: 121-57-3 7440-43-9 7758-99-8

Hazard: Xi T+, N, Carc. Cat.2, Muta. Cat. 3, N, Xn, Xi

Repr. Cat. 3

Phrases: R: 36/38-43 R: 22-36/38-50/53

R: 26-45-48/23/25-50/53-62-63-

Content: > 1% - < 10% 68 > 0.1% - < 1%

1% - < 7%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Give oxygen if breathing is difficult. If pain persists, summon medical advice.

After Skin Contact: Wash affected area with plenty of water. Remove contaminated clothing.

After Eye Contact: Rinse out with plenty of water. If pain persists, summon medical advice.

After Swallowing: Wash out mouth thoroughly with water, if person is conscious. Immediately obtain medical attention.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.



HI 93728-0 Nitrate Reagent Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Carbon Dioxide, Dry Chemical Powder

Special Risks

Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: Sulfur Oxides, Nitrogen Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid substance contact. Avoid inhalation of dusts in all circumstances.

Environmental Precautions:

Do not allow to enter sewerage system.

Additional Notes:

Take up dry. Forward for disposal. Clean up affected area. Avoid generation of dusts.

SECTION 7: HANDLING AND STORAGE

Handling: Storage:

Avoid generation of dusts. Do not inhale substance. Accessible only for authorized persons.

Store at room temperature (+15 to +25 $^{\circ}$ C). Tightly closed in a dry and well-ventilated place. Protect from moisture.



HI 93728-0 Nitrate Reagent

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 8:	EXPOSURE CONTROL/PERSONAL PROTECTION
------------	--------------------------------------

USA (OSHA)

	Туре	Value	Source	Туре	Value	Source	
Cadmium Powder							
	TWA (8hr)	0.010 mg/m ³	Belgium	TWA (8hr)	0.01 mg/m ³	Canada (Ontario)	
	TWA (8hr)	0.025 mg/m ³	Canada (Quebec)	TWA (8hr)	0.050 mg/m ³	France	
	TWA (8hr)	0.025 mg/m ³	Greece	TWA (8hr)	0.015 mg/m ³	Hungary	
	TWA (8hr)	0.010 mg/m ³	Poland	TWA (8hr)	0.010 mg/m ³	Portugal	
	TWA (8hr)	0.050 mg/m ³	Romania	TWA (8hr)	0.002 mg/m ³	Spain	
	TWA (8hr)	0.025 mg/m ³	UK	TWA (8hr)	0.010 mg/m ³	USA (ACGIH)	

Copper Sulfate Pentahydrate

TWA (8hr) 0.1 mg (Cu)/m3 Netherlands

0.005 mg/m³

Engineering:

TWA (8hr)

Maintain general industrial hygiene practice.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when dusts are generated. Work

under hood.

Rubber or plastic

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Application of skin-protectve barrier cream recommended. Wash hands after working with substance. Avoid generation of dusts. Under no circumstances eat or drink at workplace.

PHYSICAL/CHEMICAL PROPERTIES **SECTION 9:**

Appearance: Grey powder Odor: Odorless Density at 20° C: ND

Melting Point: ND **Boiling Point:** NA Solubility: Partially soluble

pH at 20° C: Explosion Limit: NA Flash Point: NA 3.1 at 6 g/L

Thermal Decomp.: NA

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided: Hazardous Decomposition Products:

Strong Heating Toxic gases or vapors in the event of fire.

Hazardous Polymerization: Substances to be Avoided:

Will not occur. Oxidizing agents, acids

Further Information:

Not available



HI 93728-0 Nitrate Reagent

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: Irritation symptoms in the respiratory tract.Skin Contact: Slight irritations. May cause sensitization.

Eye Contact: Slight irritations.

Ingestion: Nausea, vomiting, diarrhea.

Further Data: Systemic effects: after absorption of large quantities: tiredness, agitation, spasms, ataxia, drop in temperature.

further hazardous properties cannot be excluded. The product should be handled with particular care.

Component Toxicity

Acute Toxicity:

Cadmium Powder

LC50: Inhalation - Rat - 25 mg/m³ **LD50:** Oral - Rat - 225 mg/kg

Copper Sulfate Pentahydrate

LD50: Oral - Rat - 300 mg/kg

Sulfanilic Acid

LD50: Oral - Rat - 12300 mg/kg

Additional Data:

Not Available

Chronic Toxicity:

Cadmium Powder

OSHA: Cancer Hazard

NTP: Known to be carcinogenic to humans IARC Group 1: Carcinogenic to humans

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available.

Biological effects:

APPLICABLE TO PARTIAL COMPONENT:

The following applies to cadmium compounds in general: degradability: biodegradability 0; biological effects: fish: L. macrochirus 96 h. LDLo: 1.94 mg/L; C. auratus 8.5 h. toxic as from 0.0165 mg/L; bacteria: E. coli toxic as from 0.15 mg/L; arthropods: Daphnia toxic as from 0.1 mg/L; Daphnia magna toxic as from 0.0026 mg/L; protozoa: toxic as from 0.2 mg/L; algae: Sc. quadricauda toxic as from 0.1 mg/L; hazard for drinking water.

Further Data: APPLICABLE TO PARTIAL COMPONENT:

May contribute to the eutrophication of drinking-water supplies.DO NOT ALLOW TO ENTER WATERS, WASTE WATERS,

OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land: Sea: Air:

ADR/RID: 9, II IMDG: 9/UN 3316/PG II ICAO/IATA: 9/UN 3316/PG II UN-No. : 3316 Name : CHEMICAL KIT Name : CHEMICAL KIT

Transport data applies to the COMPLETE KIT!



HI 93728-0 Nitrate Reagent Safety Data Sheet

NA: Not Applicable ND: Not Determined

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Symbol: T: Very Toxic

N: Dangerous for the environment

R-phrases: 23-43-45-48/23/25-51/53-68: Toxic by inhalation. May cause sensitisation by skin contact. May cause cancer. Toxic:

danger of serious damage to health by prolonged exposure through inhalation and if swallowed. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of irreversible effects.

36/37-45-53-60-61: Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek S-phrases:

medical advice immediately (show label where possible). Avoid exposure - obtain special instruction before use. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special

instructions / Safety data sheets.

Sulfanilic acid, Cadmium powder Contains:

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3 Revision Information Legend

22: Harmful if swallowed. **Revision Date:** 2009-06-10 26: Very toxic by inhalation. Supersedes edition of: 2008-12-01 36/38: Irritating to eyes and skin.

43: May cause sensitization by skin contact. Reason for revision: 29 CFR 1910.1200 and SOR/88-66 45: May cause cancer.

Compliance

health by prolonged exposure through inhalation and if swallowed. 50/53: Very toxic to aquatic organisms, may

48/23/25: Toxic: danger of serious damage to

cause long-term adverse effects in the aquatic environment.

62: Possible risk of impaired fertility.

63: Possible risk of harm to the unborn child.

68: Possible risk of irreversible effects.

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.