Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66



 Revision Date:
 2009-06-10

 Reason for Revision:
 29 CFR 1910.1200 and SOR/88-66 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: Reagent for COD Test (25 vials)

Application: HR COD Analysis: 0 to 15000 mg/L

Company Information (USA):

Technical Service Contact Information:

USA Emergency Contact Information: International Emergency Contact Information: E-mail Address: Additional Product Codes: COD-HR

Hanna Instruments, Inc. 584 Park East Dr, Woonsocket, Rhode Island, USA 02895

1-800-426-6287 (8:30AM - 5:00PM ET) +1-401-766-4260 (8:30AM - 5:00PM ET)

1-800-424-9300 (Chemtrec 24Hr. Emergency)

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

tech@hannainst.com

<u>SECTION 2:</u> HAZARD IDENTIFICATION

Contact with combustible material may cause fire. Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. May cause sensitization by inhalation and skin contact. May cause cancer. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May impair fertility. May cause harm to the unborn child.

<u>SECTION 3:</u> COMPOSITION AND COMPONENT INFORMATION

Component:	Sulfuric Acid	Mercury (II) Sulfate	Potassium Dichromate
EC-No.:	231-639-5	231-992-5	231-906-6
CAS-No.:	7664-93-9	7783-35-9	7778-50-9
Hazard:	С	T+, N	T+, N, O, Carc. Cat. 2, Muta. Cat. 2, Repr. Cat. 2.
Phrases:	R: 35	R 26/27/28-33-50-53	
Content:	> 50% - <90%	> 0.5 - < 2%	R: 8-26-34-42/43-45-46-49-50-53- 60-61
			> 0.1 - < 0.5%

<u>SECTION 4:</u> FIRST AID MEASURES

After Inhalation:	Remove to fresh air. Summon doctor.
After Skin Contact:	Wash affected area with plenty of water. Immediately remove contaminated clothing.
After Eye Contact:	Rinse out immediately with plenty of water and seek medical advice.
After Swallowing:	Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice. Do not attempt to neutralize.
General Information:	Remove contaminated, soaked clothing immediately and dispose of safely.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Development of hazardous combustion gases or vapors possible in the event of fire. Hydrogen may form upon contact with metals (danger of explosion!). The following may develop in event of fire: Sulfur Oxides, Mercury Vapors

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

<u>SECTION 6:</u> ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.

<u>SECTION 7:</u> HANDLING AND STORAGE

Handling:

Storage:

Avoid generation of vapors/aerosols. Work under hood. Do not inhale substance.

Tightly closed. In a well-ventilated place at +15 to +25 $^{\circ}$ C. Protect from light. Store in fridge if possible. Accessible only for authorized persons.



Safety Data Sheet According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 8: **EXPOSURE CONTROL/PERSONAL PROTECTION**

	Value	Source	Туре	Value	Source
Mercury(II) S	ulfate				
TWA (8hr)	0.025 mg (Hg)/m³	Belgium	TWA (8hr)	0.025 mg (Hg)/m³	Canada (Ontario)
TWA (8hr)	0.025 mg (Hg)/m³	Canada (Quebec)	TWA (8hr)	0.1 mg (Hg)/m ³	France
TWA (8hr)	0.1 mg (Hg)/m³	Germany	TWA (8hr)	0.1 mg (Hg)/m ³	Greece
TWA (8hr)	0.08 mg (Hg)/m³	Hungary	TWA (8hr)	0.05 mg (Hg)/m³	Poland
TWA (8hr)	0.025 mg (Hg)/m³	Portugal	TWA (8hr)	0.025 mg (Hg)/m³	Spain
TWA (8hr)	0.01 mg (Hg)/m ³	UK	TWA (8hr)	0.025 mg (Hg)/m³	USA (ACGIH)
TWA (8hr)	2 mg (Hg)/m³	USA (OSHA)			
Potassium D	ichromate				
TWA (8hr)	0.05 mg (Cr)/m ³	Belgium	TWA (8hr)	0.05 mg (Cr)/m ³	Canada (Ontario)
TWA (8hr)	0.05 mg (Cr)/m ³	Canada (Quebec)	TWA (8hr)	0.05 mg (Cr)/m ³	France
TWA (8hr)	0.5 mg/m³	Greece	TWA (8hr)	0.025 mg (Cr)/m ³	Netherlands
TWA (8hr)	0.1 mg (Cr)/m ³	Poland	TWA (8hr)	0.05 mg (Cr)/m ³	Portugal
TWA (8hr)	0.05 mg (Cr)/m ³	Romania	TWA (8hr)	0.05 mg (Cr)/m ³	Spain
TWA (8hr)	0.05 mg (Cr)/m ³	UK	TWA (8hr)	0.050 mg (Cr)/m ³	USA (ACGIH)
TWA (8hr)	0.005 mg (Cr)/m ³	USA (OSHA)			
Sulfuric Acid					
TWA (8hr)	1 mg/m³	Belgium	TWA (8hr)	0.2 mg/m³	Canada (Ontario)
TWA (8hr)	1 mg/m³	Canada (Quebec)	TWA (8hr)	1 mg/m³	France
TWA (8hr)	1 mg/m³	Greece	TWA (8hr)	1 mg/m³	Hungary
TWA (8hr)	0.5 mg/m³	Poland	TWA (8hr)	0.2 mg/m³	Portugal
TWA (8hr)	0.5 mg/m³	Romania	TWA (8hr)	1 mg/m³	Spain
TWA (8hr)	0.2 mg/m³	USA (ACGIH)	TWA (8hr)	1 mg/m³	USA (OSHA)

Change contaminated clothing. Wash hands after working with substance.



Safety Data Sheet According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES					
Appearance:	Yellow-orange liquid with undissolved solid	Odor:	Odorless	Density at 20° C	C: ~ 1.7 g/cm³
Melting Point:	NA	Boiling Point:	ND	Solubility:	Soluble (development of heat)
pH at 20° C:	< 0.5	Explosion Limit:	NA	Flash Point:	NA
Thermal Decom	<i>וp.: ></i> 338 °C				
Conditions to be Avoided: Strong Heating Hazardous Polymerization:			Hazardous Decomposition Products: In the event of fire: See section 5. Substances to be Avoided:		
Will not occur. Further Information:			Combustible substances, water, metals, metal alloys, alkali metals, alkali compounds, alkali hydroxides, alkali oxides, alkaline earth compounds, alkalia ammania aiterata andium actionate lithium aitiaida halagan		
Hygroscopic. Has a corrosive effect. Incompatible with metals.			alkalis, ammonia, nitrates, sodium carbonate, lithium silicide, halogen- halogen compounds, salts of oxyhalogenic acids, bromates, chromates/perchromates, perchlorates, perchloric acid, permanganates, permanganic acid, organic nitro compounds, nonmetals, nonmetallic oxides, picrates, hydrogen peroxide, nitramide, mercury nitride, ammonium iron (III) sulfate dodecahydrate		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation:	After inhalation of aerosols: damage to the affected mucous membranes.
Skin Contact:	Severe burns with formation of scabs.
Eye Contact:	Burns, corneal lesion.
Ingestion:	Severe pain (risk of perforation!), nausea, vomiting and diarrhea.
Further Data:	Systemic effects: Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: ACUTE: contact with eyes causes severe lesions. Swallowing and inhalation of dust damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia); drop in blood pressure, cardiac disrhythmia, circulatory collapse, and renal failure; chronic. CHRONIC: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia). The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Mercury(II) Sulfate

LD50: Oral - Rat - 57 mg/kg

LD50: Dermal - Rat - 625 mg/kg

Potassium Dichromate

LC50: Inhalation - Rat - 29 mg/m³

LD50: Oral - Rat - 25 mg/kg

LD50: Dermal - Rabbit - 14 mg/kg

Sulfuric Acid

LC50: Inhalation - Rat - 510 mg/m³

LD50: Oral - Rat - 2140 mg/kg

Additional Data:

Not Available

Chronic Toxicity:

Potassium Dichromate

OSHA: Cancer Hazard

NTP: Known to be carcinogenic to humans

IARC Group 1: Carcinogenic to humans

Sulfuric Acid

NTP: Known to be carcinogenic to humans

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available. Biological effects: High aquatic toxicity. Harmful effect due to pH shift. Caustic even in diluted form. Endangers drinking water supplies if it enters in large quantities in soil and/or waters. Does not cause biological oxygen deficit.

APPLICABLE TO PARTIAL COMPONENT: Fish toxicity: Sulfuric acid: lethal from 1.2 mg/L; from 6.3 mg/L lethal in 24h. mercury: LC50: 0.5 mg/L Hg(II) ions. Hazard for drinking water. Luminescent bacteria toxicity: mercuric chloride: EC20: 0.28 mg/L; ED50: 0.35 mg/L sodium dichromate: EC20: 1.2 mg/L; ED50: 3.5 mg/L



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

<u>SECTION 13:</u> DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

ADR/RID: 9/PG II/ UN3316 Name : CHEMICAL KIT IMDG: 9/PG II/ UN3316 Name: CHEMICAL KIT

Sea:

Air:

ICAO/IATA: 9/PG II/ UN3316 Name: CHEMICAL KIT

Transport data applies to the COMPLETE KIT!

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Symbol: T: Toxic

Land:

C: Corrosive O: Oxidizer

R-phrases: 8-23/24/25-33-35-42/43-45-52/53-60-61: Contact with combustible material may cause fire. Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. May cause sensitization by inhalation and skin contact. May cause cancer. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May impair fertility. May cause harm to the unborn child.

S-phrases: 26-28.1-30-45-60-61: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Never add water to this product. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions / Safety data sheets.

Contains: Mercury (II) sulphate, sulfuric acid, Potassium dichromate

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3	Revision Information		Legend		
8: Contact with combustible material may	Revision Date:	2009-06-10	NA: Not Applicable		
cause fire. 26/27/28: Very toxic by inhalation, in contact	Supersedes edition of:	2008-12-01	ND: Not Determined		
 with skin and if swallowed. 33: Danger of cumulative effects. 34: Causes burns. 35: Causes severe burns. 42/43: May cause sensitization by inhalation and skin contact. 45: May cause cancer. 46: May cause heritable genetic damage. 49: May cause cancer by inhalation. 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 60: May impair fertility. 	Reason for revision:	29 CFR 1910.1200 and SOR/88-66 Compliance			
61: May cause harm to the unborn child.					
THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE					

APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.

Page 6 of 6