SIGMA-ALDRICH

4

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.0 Revision Date 30.10.2012 Print Date 26.06.2013

1.	IDENTIFICATION OF THE	0051	ANGE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifiers Product name	: P	otassium permanganate
	Product Number Brand Index-No. CAS-No.	: Sig : 02	3468 gma-Aldrich 5-002-00-9 22-64-7
1.2	Relevant identified uses o	the s	ubstance or mixture and uses advised against
	Identified uses	: La	boratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	Th Ne	gma-Aldrich Company Ltd. le Old Brickyard EW ROAD, GILLINGHAM brset

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	UNITED KINGDOM
Telephone Fax E-mail address	+44 (0)1747 833000 +44 (0)1747 833313 eurtechserv@sial.com

1.4 Emergency telephone number

Emergency Phone # : +44 (0)1747 833100

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP] Oxidizing solids (Category 2)

SP8 4XT

Acute toxicity, Oral (Category 4) Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Contact with combustible material may cause fire. Harmful if swallowed.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word

Danger

Hazard statement(s)	
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s) P220

Keep/Store away from clothing/ combustible materials.

P273 P501	Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none
According to European I Hazard symbol(s)	Directive 67/548/EEC as amended.
R-phrase(s)	
R 8	Contact with combustible material may cause fire.
R22	Harmful if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects i the aquatic environment.
S-phrase(s)	
Séo	This material and its container must be disposed of as hazardous wast
S61	Avoid release to the environment. Refer to special instructions/ Safety

2.3 Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula	:	KMnO ₄
Molecular Weight	:	158.03 g/mol

ation	Concentrat		Component
		ate	Potassium permangan
	-	7722-64-7	CAS-No.
		231-760-3	EC-No.
		025-002-00-9	Index-No.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Contact with skin can cause:, Oedema, Necrosis, Effects due to ingestion may include:, methemoglobinema, psychological disturbances

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Potassium oxides, Manganese/manganese oxides

5.3 Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Potassium permanganate	7722-64-7	TWA	0.5 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		TWA	0.5 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
	Remarks			rm exposure limit is listed, a figure three ure should be used

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: dark violet
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	Melting point/range: 240 °C
f)	Initial boiling point and boiling range	no data available
g)	Flash point	not applicable
h)	Evaporation rate	no data available
i)	Flammability (solid, gas)	no data available

	j)	Upper/lower flammability or explosive limits	no data available
	k)	Vapour pressure	no data available
	I)	Vapour density	no data available
	m)	Relative density	2.710 g/cm3
	n)	Water solubility	no data available
	o)	Partition coefficient: n- octanol/water	no data available
	p)	Autoignition temperature	no data available
	q)	Decomposition temperature	no data available
	r)	Viscosity	no data available
	s)	Explosive properties	no data available
	t)	Oxidizing properties	no data available
9.2		ner safety information data available	
10.	ST	ABILITY AND REACTIVIT	Y
10.1		activity data available	
10.2		emical stability data available	
10.3		s sibility of hazardous rea data available	actions
10.4		nditions to avoid data available	
10.5		ompatible materials ong reducing agents, Powe	dered metals, Peroxides, Zinc, Copper
10.6		zardous decomposition products	
11.	то		ATION
11.1	Info	ormation on toxicologica	I effects
		u te toxicity 50 Oral - rat - 1,090 mg/kg	
	-	n corrosion/irritation data available	
		ious eye damage/eye irr data available	itation
		s piratory or skin sensitiz data available	ation
		r m cell mutagenicity data available	
	Ca	rcinogenicity	
	IAF		this product present at levels greater than or equal to 0.1% is identified as e or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	May be harmful if absorbed through skin. May cause skin irritation.
Eyes	May cause eye irritation.

Signs and Symptoms of Exposure

Contact with skin can cause:, Oedema, Necrosis, Effects due to ingestion may include:, methemoglobinema, psychological disturbances

Additional Information

RTECS: SD6475000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 0.3 - 0.6 mg/l - 96.0 h
Taviaity to daphaia and	CCE0 Dephyla magna (Water floc) 0.084 mg/L 48 h

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 0.084 mg/l - 48 h other aquatic invertebrates

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available
- **12.5** Results of PBT and vPvB assessment no data available
- **12.6** Other adverse effects Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

IMDG: 1490

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

- **14.1 UN number** ADR/RID: 1490
- **14.2 UN proper shipping name** ADR/RID: POTASSIUM PERMANGANATE

IATA: 1490

	IMDG: IATA:	POTASSIUM PERMANGANATE Potassium permanganate				
14.3	3 Transport hazard class(es) ADR/RID: 5.1		IMDG: 5.1	IATA: 5.1		
14.4	Packaging ADR/RID:		IMDG: II	IATA: II		
14.5	Environm ADR/RID:	ental hazards yes	IMDG Marine pollutant: yes	IATA: no		
14.6	Special pr no data av	recautions for user ailable				
15.	REGULAT	ORY INFORMATION				
	This safety	/ datasheet complies wit	h the requirements of Regulation (E	C) No. 1907/2006.		
		•	Safety, health and environmental regulations/legislation specific for the substance or mixture no data available			
15.1		alth and environmenta	Il regulations/legislation specific	,		
15.1 15.2	no data av	alth and environmenta ailable Safety Assessment	Il regulations/legislation specific	,		
	no data av Chemical no data av	alth and environmenta ailable Safety Assessment	Il regulations/legislation specific	,		